Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	24	"20020120307".pn. 20040024424. pn. 20040064161.pn. 20040162593.pn. 4958632.pn. 5201865.pn. 5513644.pn. 5944746.pn. 6295476.pn. 6317633.pn. 6405087.pn. 6754531.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/14 15:56
S2	1482	607/119,122.ccls. and @ad<="20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/14 15:56
S3	439	S2 and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/14 15:57
S4	329	S3 and lead and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/14 15:57
S5	3310660	S4 and conductive near\$2 (sheath or sleeve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/14 15:58
S6	320	S4 and (sheath or sleeve or conduct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/14 16:01
S7	182	"5016646" "4590950" "4559951"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/14 16:02
S8	6	"5016646".pn. 4590950.pn. 4559951.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 15:18
S9	2211	lead and implantable and conduct\$3 and insulat\$3 and electrode and (conduct\$3 with (sleeve or sheath or layer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/15 09:28

			110 205: :2	0.0	01:	2006/05/45 00 25
S10	1828	S9 and @ad<="20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/15 09:29
S11	1401	S10 and ("600".clas. or "607".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR ·	ON	2006/05/15 09:29
S12	530	S11 and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/15 09:30
S13	385	S12 and ((pulse adj generator) or (implantable adj medical adj device) or (implantable adj cardiac adj device) or (cardiac adj stimulat\$3 adj device) or IMD or ICD or ICSD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/15 09:32
S14	273	S13 and (monitor\$3 or (monitor\$3 adj unit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/15 09:33
S15	59	S14 and (wear or crack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/15 09:33
S16	88	S14 and (wear or crack\$3 or tear\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 11:07
S17	6004	conductive adj (sleeve or sheath)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 11:07
S18	365	S17 and ("600".clas. or "607".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 11:07

					·	
S19	246	S18 and lead and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 11:08
S20	211	S19 and @ad<="20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 11:08
S21	209	S20 and (conductor or coil or wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 11:08
S22	73	S21 and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 11:08
S23	55794	(detect\$3 or sens\$3) with impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 08:54
S24	5079	S23 and ("600".clas. or "607".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 15:19
S25	4264	S24 and @ad<="20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 15:19
S26	2631	S25 and lead and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 15:20
S27	1703	S26 and implant\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 15:22
S28	1377	S27 and conduct\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 15:22

S29	221	S28 and (conduct\$3 with (sleeve or sheath))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 08:54
S30	55794	(detect\$3 or sens\$3) with impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 08:55
S31	5079	S30 and ("600".clas. or "607".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 08:55
S32	4264	S31 and @ad<="20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 08:55
S33	2631	S32 and lead and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 08:55
S34	1703	S33 and implant\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 08:55
S35	1377	S34 and conduct\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 08:55
S36	221	S35 and (conduct\$3 with (sleeve or sheath))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 08:55
S37	77	S36 and (detect\$3 or sens\$3) with impedance with lead	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 08:55